



SUSTAINER TM / TV

	REF / ART.NR	DIMENSIONES / DIMENSIONS ABMESSUNGEN					COMPRESION / COMPRESSION DRUCKBELASTUNG		CONSTANTE / STIFFNESS RIGIDITE / STEIFIGKEIT	
		B	F	H	ØA	ØD	ØC	CARGA / LOAD CHARGE / LAST	FLECHA / DEFLECTION FLECHE / FEDERWEG	
	mm.					kg.	mm.	kg./cm		
TM	TM 25	75	55	100	12	30	11	25	24±3,0	10,42
	TM 50	75	55	100	12	30	11	50	24±3,0	20,83
	TM 75	75	55	100	12	30	11	75	24±3,0	31,25
	TM 100	75	55	100	12	30	11	100	24±3,0	41,67
	TM 125	75	55	100	12	30	11	125	24±3,0	52,08
	TM 150	120	75	155	16	30	14	150	35±4,0	42,86
	TM 200	120	75	155	16	30	14	200	35±4,0	57,14
	TM 250	120	75	155	16	30	14	250	35±4,0	71,43
	TM 350	120	75	155	16	30	14	350	35±4,0	100,00
	TM 450	120	75	155	16	30	14	450	35±4,0	128,57
TM 550	120	75	155	16	30	14	550	35±4,0	157,14	
TV	TV 10							10	30±3,0	3,33
	TV 20							20	20±2,0	10,00
	TV 30							30	20±2,0	15,00
	TV 40							40	20±2,0	20,00

Sustainer TM




Sustainer TV




SUSTAINER TVAD-DS / TVA / TVAD10 / TVAR / TVAPL

TVAD




DS




TVAD+DS

	REF / ART.NR	COMPRESION / COMPRESSION DRUCKBELASTUNG			
		CARGA / LOAD CHARGE / LAST		FLECHA / DEFLECTION FLECHE / FEDERWEG	
		kg.		mm.	
TVA	TVA 40	8	25	1	3
	TVA 60	18	50	1	3
	TVA 75	25	75	1	3
TVAD10	TVA40 D10	8	25	1	3
	TVA60 D10	18	50	1	3
	TVA75 D10	25	75	1	3
TVAR	TVAR 40	8	25	1	3
	TVAR 60	18	50	1	3
	TVAR 75	25	75	1	3
TVAPL	TVAPL 40	8	25	1	3
	TVAPL 60	18	50	1	3
	TVAPL 75	25	75	1	3
TVAD	TVAD 40	8	25	1	3
	TVAD 60	18	50	1	3
	TVAD 75	25	75	1	3
	DS				


TVA




TVAD10




TVAR



TVAPL





bolt, nut and washer are optional

Type	B	H	L	D	h	s1	s2	d1	d2	d3
HNG-S1	40	60	45	30	28	3	2	22,5	8,5	25
HNG-S2	60	80	55	40	33	3	3	27	10,5	30
HNG-S3	80	100	70	60	54	4	3	45	12,5	50

Screw set options:

M8 x Length: min 80 mm, 90 mm, 100, 110 mm, 120 mm, ... 200 mm.
 from 200 mm – 1.000 mm: 200 mm, 300 mm, 400 mm, ... 1.000 mm.
M10 & M12 x Length: min 100 mm, 110, mm, 120 mm, ... 200 mm.
 from 200 mm – 1.000 mm: 200 mm, 300 mm, 400 mm, ... 1.000 mm.

